



Infrastructure, environment, facilities

Mr. James A. Saric  
USEPA Region 5  
77 West Jackson Boulevard (SR-6J)  
Chicago, IL 60604-3507

Subject:

Plainwell Post-Construction Surface Sediment Sample Locations

Dear Mr. Saric:

Attached are revised figures showing the proposed post-construction near-shore surface sediment sampling locations for the areas in the former Plainwell Impoundment where construction activities are complete. The sampling is required in the Plainwell TCRA Design document. As MDEQ requested, the three samples within each area are now at 25%, 50%, and 75% of the area width to reflect varying distances from the shore. Note that the samples in the islands were left in the center of the removal area and not moved to the sides, since a lateral gradient would not be expected there like it might be near the shore. Please contact me with any questions or comments regarding these figures.

Sincerely,

ARCADIS

Michael D. Scoville  
Sr. Scientist

Copies:

Jeff Keiser, CH2M Hill  
Mike Ribordy, USEPA  
Paul Bucholtz, MDEQ  
Stephen Garbaciak, P.E., ARCADIS  
Michael Erickson, P.E., ARCADIS

ARCADIS

6723 Towpath Road

P.O. Box 66

Syracuse

New York 13214-0066

Tel 315.446.9120

Fax 315.445.9161

[www.arcadis-us.com](http://www.arcadis-us.com)

INDUSTRIAL

Date:

January 7, 2008

Contact:

Michael Scoville

Phone:

315.671.9387

Email:

Michael.Scoville@  
arcadis-us.com

Our ref:

B0064530.00676

Imagine the result

